

Dräger PARAT® 3260 Filtering Escape Device

The Dräger PARAT® 3260 is a mouthpiece / nose clip escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for filtering industrial escape devices (DIN 58647-7), it provides users a minimum of 15 minutes escape time. Compared to PARAT® 3200, the device and filter are vacuum sealed in an aluminum barrier bag, making it better suited for diverse climate zones.

Mouthpiece with nose clip

- Small in size, easy to don
- Provides extremely low leakage
- Suited for bearded wearers

Integrated belt clip

- For safe and comfortable carrying of the device on the body
- Additional carrying accessories available

Transparent backplate

- Visual inspection possible
- Filter expiration date easy to read

Info label on the inside

- Protected against abrasion
- Easy to understand pictograms

TPE sealing strap

- Easy to open and close: allows for quick and easy replacement

Traction grip areas

- Slip-proof surfaces for safe handling – even with gloves

Overall lifetime

- 12 years provided the barrier bag is exchanged after 6 years

Robust housing

- Mouthpiece and filter are vacuum sealed in a robust barrier bag and are additionally protected by the housing
- Suitable for daily use in rough work environments



D-28605-2015

Benefits

Proven protection for at least 15 minutes

The Dräger PARAT 3260 reliably protects the user from a wide range of toxic industrial gases for at least 15 minutes. It is approved in accordance with DIN 58647-7.

Mouthpiece with nose clip

The escape respirator consists of a mouthpiece with nose clip and an integrated ABEK15 filter. It is easy and safe to don, even for bearded wearers. It provides very low leakage values. The small and compact size makes it easy to carry.

Various carrying options

The escape device is standardly equipped with a belt clip. There are four additional carrying options available: a grip clip, slip guard carabiner, shoulder strap and hand strap, keeping the PARAT 3000 series secure during daily tasks. With the exception of the grip clip, the devices can be assembled to the existing belt clip. The grip clip can be assembled after removing the belt clip from the unit.

Robust and ergonomic packaging

The ergonomic design with traction grip areas on the housing allows for easy and safe handling. The robust case provides stability even under extreme working conditions.

Transparent backplate

The backplate of the PARAT 3260 is transparent and offers a clear view of the device. Service intervals are easy to keep track of as the expiration date is on the barrier bag and can be easily read. Pictograms show the correct donning procedure and remain protected under the backplate against abrasion.

Low cost of ownership

The device has a 12 year lifetime, provided that the barrier bag is replaced after 6 years. Ensures maximum protection at a reasonable cost.

Vacuum sealed for high protection

The escape device is vacuum sealed in a robust aluminum barrier bag. Protects the system in a wide variety of ambient conditions.

System Components

D-7270-2019



Grip clip for Dräger PARAT® 3000

The grip clip carrying option is intended for applications when a securely fastened clip is needed. With the grip clip the device can be attached to work clothes or pockets. The grip clip can easily be assembled to the PARAT® 3000 after removing the belt clip.

D-7413-2019



Slip guard carabiner for Dräger PARAT® 3000

The slip guard carabiner is a carrying option which fulfills two functions. First, the function of a carabiner hook. Secondly, it provides a drop safety for the unit. When carrying the PARAT® 3000 on a belt clip, the slip guard carabiner can be hooked onto the belt loop and in case the unit dislodges from the belt, it remains attached to the user. The slip guard carabiner can be assembled on the belt clip of the PARAT® 3000.


D-7276-2019



Shoulder strap for Dräger PARAT® 3000

The shoulder strap is suitable for recurring operations where a device is quickly carried along and the user does not have a belt. The shoulder strap can be assembled on the belt clip of the PARAT® 3000.

D-7275-2019



Hand strap for Dräger PARAT® 3000

The hand strap carrying option is optimal for short-term applications when a device needs to be accessed quickly. It allows users to carry the unit on their wrist. This option is especially popular among visitors who are on-site only for a short time. The hand strap can be assembled on the belt clip of the PARAT® 3000.

System Components



D-28596-2015

Spare parts set Dräger PARAT® 3260

Includes a mouthpiece and nose clip fitted with an ABEK15 escape filter sealed in an aluminum barrier bag. Set includes a sealing tag to reseal the case. It has a 6 year lifetime.

Related Products



D-7238-2019

PARAT® 3200 Training unit

This training unit is designed for users who want to practice the use of the PARAT® 3200 mouthpiece escape device. The training unit includes an empty filter dummy, which can be hygienically cleaned after use. Additionally, the training unit is clearly marked as "For Training Only".



D-11940-2019

Dräger PARAT® 3160

The Dräger PARAT® 3160 is a half mask escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for filtering industrial escape devices (DIN 58647-7), it provides users a minimum of 15 minutes escape time. Compared to PARAT® 3100, the half mask and filter are vacuum sealed in an aluminum barrier bag, making it better suited for diverse climate zones.

Technical Data

Filter performance	ABEK15 gas filter for protection against organic and anorganic gases and vapors, approved in accordance with DIN 58647 part 7
Duration of use	At least 15 minutes
Shelf life	Total lifetime 12 years, provided the barrier bag is exchanged after 6 years.
Weight	Approx. 354 g (12.5 oz)
Dimensions (L x W x H)	170 x 110 x 60 mm (6.7 x 4.3 x 2.4 in)
Approval	Approved in accordance with DIN 58647 part 7 (CE mark 0158)

Filter capacity according to DIN 58647-7*

Type	Test gas	Concentration in ppm	Breakthrough in ppm	Minimum breakthrough time in min
A	Cyclohexane (C ₆ H ₁₂)	2,500	10	15
B	Chlorine (Cl ₂)	2,500	0.5	15
B	Hydrogen sulfide (H ₂ S)	2,500	10	15
B	Hydrogen cyanide (HCN)	2,500	10	15
E	Sulfur dioxide (SO ₂)	2,500	5.0	15
K	Ammonia (NH ₃)	2,500	25	15
B	Hydrogen sulfide (H ₂ S)	10,000**	20	5

* Test conditions according to DIN 58647-7: 30 l/min, 70 % relative humidity, 20 °C (68 °F).

** To determine the breakthrough capacity of the gas filter it is additionally tested with 10,000 ppm hydrogen sulfide.

Ordering Information

Dräger PARAT® 3260	Order no.
Dräger PARAT® 3260 Mouthpiece respirator (vacuum sealed in an aluminum barrier bag)	37 04 479
Dräger PARAT® 3200 Training unit	37 04 884
Carrying options	
Grip clip for Dräger PARAT® 3000	37 04 420
Slip guard carabiner for Dräger PARAT® 3000	37 04 422
Shoulder strap for Dräger PARAT® 3000	37 04 520
Hand strap for Dräger PARAT® 3000	37 04 519
Replacement parts	
Spare part set Dräger PARAT® 3260	R 62 627
Spare parts kit lid Dräger PARAT® 3260	37 03 258
Sealing strap for Dräger PARAT® 3000	R 56 319
Sealing tag Dräger PARAT® 3000 (50 pieces)	R 56 355
Belt clip (replacement) for Dräger PARAT® 3000	37 02 205
Filter dummy for Dräger PARAT® 3000 Training unit	R 58 345
Please note that the Dräger PARAT® 3260 is only available for sale in certain regions (pre-defined tropical climates, replacing the PARAT® 3200).	

Notes

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS
Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

REGION DACH
Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE
Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA
Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC
Dräger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
Tel: +65 6872 9288
Fax: +65 6259 0398
asia.pacific@draeger.com

**REGION CENTRAL
AND SOUTH AMERICA**
Dräger Panamá Comercial
S. de R.L.
59 East Street, Nuevo Paitilla,
House 31, San Francisco Town
Panama City, Panama
Tel +507 377-9100 / Fax -9130
servicioalcliente@draeger.com

REGION NORTH AMERICA
Dräger, Inc.
3135 Quarry Road
Telford, PA 18969
Tel +1 800 4DRAGER
(+1 800 437 2437)
Fax +1 215 723 5935
info.usa@draeger.com

Locate your Regional Sales
Representative at:
www.draeger.com/contact

